

Idemitsu Kosan Co, Ltd



Lubricant Product Information

Idemitsu 4T SL/MA 10W-40 Semi-Synthetic

Description

Idemitsu 4T SL/MA 10W-40 is a Semi-Synthetic motorcycle engine oil specially formulated with refined semisynthetic base stocks. Its excellent engine wear & tear protection and thermal stability enhance engine life. Besides offering excellent protection, this special formulation will also contribute to significant fuel savings.

Application

Recommended for all modern 4T engines.

Characteristics

- 1. Semi-Synthetic engine oil.
- 2. Wide temperature range of 10W-40.
 - High fluidity at low temperature and excellent cold start
 - excellent durability at high temperature
- Excellent high temperature protection.
- 4. Superb fuel economy.
- 5. Meets the requirement of :-API SL & JASO MA

Packing

24 x 0.8 Litre Carton, 24 x 1 Litre Carton

The information provided is to our best knowledge, true & accurate, subjected to change without notification due to continual product research and development. All recommendations or suggestions are without guarantee since the conditions of use are beyond our control. The manufacturers do not accept liability for any loss or damage, however arising, which results directly from the use of such information, nor do we offer any warranty of immunity against patent infringement.



Foaming @ 93.5°C (ml)

Idemitsu Kosan Co, Ltd



Lubricant Product Information

Typical Specifications Idemitsu 4T SL/MA 10W-40 S-S

	ASTM	
	METHOD	
SAE Viscosity grade		10W-40
Color (Appearance)	D-1500	L 1.5 (Brown)
Density 15 °C g/cm [†]	D-4052	0.8577
Flash Point (COC) ^O C	D-92	232
Viscosity, cSt @ 40 °C	D-445	105.0
@ 100 °C	D-445	16.16
Pour Point ^o C	D-97	-37.5
Viscosity Index	D-2270	166
TBN, HCLO ₄ (mgKOH/g)	D-2896	6.74

D-892

The information provided is to our best knowledge, true & accurate, subjected to change without notification due to continual product research and development. All recommendations or suggestions are without guarantee since the conditions of use are beyond our control. The manufacturers do not accept liability for any loss or damage, however arising, which results directly from the use of such information, nor do we offer any warranty of immunity against patent infringement.

0-0

IDEMITSU 4T SL/MA 10W-40 S-S